

**KENWOOD**

WIDE BAND RECEIVER

**RZ-1**

---

**INSTRUCTION MANUAL**

KENWOOD CORPORATION

Thank you for purchasing this new receiver.

**IMPORTANT:** \_\_\_\_\_

Please read this instruction manual carefully before placing your receiver in service.

**SAVE THIS INSTRUCTION MANUAL.**

The following explicit definitions apply in this manual:

- Note** : If disregarded, inconvenience only, no risk of equipment damage or personal injury.
- Caution** : Equipment damage may occur, but not personal injury.

# CONTENTS


|   |    |
|---|----|
| 1. BEFORE OPERATION .....               | 4  |
| 2. SPECIFICATIONS AND ACCESSORIES ..... | 6  |
| 3. INSTALLATION INSTRUCTIONS.....       | 7  |
| 4. OPERATION .....                      | 11 |
| OPERATING CONTROLS                      |    |
| RECEIVER OPERATION.....                 | 15 |
| Reception                               |    |
| Frequency Selection                     |    |
| MODE Selection .....                    | 17 |
| MEMORY.....                             | 18 |
| Microprocessor Memory Back-up           |    |

|                                    |               |
|------------------------------------|---------------|
| Microprocessor Initialization..... | 19            |
| Memory Channel                     |               |
| Memory Contents                    |               |
| Memory Entry                       |               |
| Memory Recall .....                | 20            |
| Programmable Band                  |               |
| Memory Shift.....                  | 22            |
| SCAN                               |               |
| Scan Option                        |               |
| Hold/Resume Condition              |               |
| All Band Scan .....                | 23            |
| Programmable Band Scan             |               |
| Memory Channel Scan.....           | 24            |
| Memory Channel Group Scan          |               |
| Memory Channel Lockout             |               |
| MESSAGE MEMORY .....               | 25            |
| Message Entry                      |               |
| Message Memory Recall.....         | 27            |
| 5. MAINTENANCE.....                | 29            |
| Service                            |               |
| In Case of Difficulty.....         | 30            |
| 6. SCHEMATIC DIAGRAM.....          | another sheet |
| 7. OPTIONAL ACCESSORIES .....      | 31            |
| 8. REFERENCE.....                  | 32            |

# 1. BEFORE OPERATION

## Safety precautions

Never remove the case unless instructed to do so in this Instruction Manual. If the internal parts are touched accidentally, a serious electric shock might occur.



Never touch internal parts.

If a metal object, such as a hair pin or a needle, comes into contact with the power socket on the rear panel, a dangerous electric shock may result. Never permit children to put anything, especially metal objects, inside this unit.



The power requirement is 13.8 VDC.

Never attempt connection to a 24 VDC source.



## DC Power Supply:

Touching the power plug when your hands are wet may result in a serious electric shock.



Never touch with wet hands.

## DC Power Supply:


Never pull, bend or extend the power cord. This could damage the power cord, resulting in a broken cord or short-circuit.




Always grasp the plug.

## Installation notes

Do not place this unit in a location that is exposed to direct sunlight, near a heating appliance, etc.




Do not store or use the unit in a dusty location or in a moist atmosphere. Select a location where there is good ventilation.



## In case of an abnormal odor

If an abnormal odor or smoke is detected, immediately turn the power OFF and pull out the power cord. Contact your dealer or nearest Service Station.



To maintain good ventilation, do not put books or papers on the unit.




Choose a location that is relatively free from vibration.



## Cleaning

Do not use volatile solvents such as alcohol, paint thinner, gasoline, benzene, etc. to clean the cabinet. Use a silicone cloth or a clean dry cloth.



Silicone cloth Thinner Benzene